

U-Line™ Factory Sealed 20 Amp Aluminum Receptacles

Explosionproof, Dust-Ignitionproof

125 Vac, 20 Amp, 1 HP; 250 Vac, 20 Amp, 2 HP. Dead-Front Safety Construction.

NEC/CEC ③:

Class I, Division 1 and 2, Groups B♦, C, D

Class II, Division 1 and 2, Groups F, G

Class III

NEMA 3, 3R, 3RX, 4X▼, 7BCD, 9FG

Aluminum Receptacle Cover and Malleable Iron Mounting Box ①

Type	Wire/Pole	Hub Size (Inches)	Catalog Number	
			125 Vac, 1 HP 	250 Vac, 2 HP 

Single Gang

Class I, Division 1 and 2 Groups B♦, C, D; Class II, Division 1 and 2 Groups F, G; Class III.

Suitable for use in Class I, Division 1, Group B when used with external seals. ②



Dead-End



Feed-Thru

Dead-End	2W, 3P	1/2	EFS150-2023	EFS150-20232
		3/4	EFS175-2023	EFS175-20232
		1	EFS110-2023	EFS110-20232
Feed-Thru	2W, 3P	1/2	EFSC150-2023	EFSC150-20232
		3/4	EFSC175-2023	EFSC175-20232
		1	EFSC110-2023	EFSC110-20232

Two Gang

Class I, Division 1 and 2 Groups C, D; Class I, Division 2, Groups B, C, D; Class II, Division 1 and 2 Groups F, G; Class III.



Dead-End



Feed-Thru

Dead-End	2W, 3P	1/2	EFS250-2023	EFS250-20232
		3/4	EFS275-2023	EFS275-20232
		1	EFS210-2023	EFS210-20232
Feed-Thru	2W, 3P	1/2	EFSC250-2023	EFSC250-20232
		3/4	EFSC275-2023	EFSC275-20232
		1	EFSC210-2023	EFSC210-20232

Replacement Receptacle Covers and Spare Parts



20A Receptacle Cover 2W, 3P (aluminum)
Spring-loaded Cover Replacement Assembly (aluminum)
Receptacle cover for use on Killark ♦ SWB mounting boxes.

EFSR-2023	EFSR-20232
ULSCA	
EFSR-2023K	EFSR-20232K



NEMA 4X Screw Cover Kit ▼

ULINEREC4XKIT

① Standard mounting box malleable iron. For aluminum mounting box, add suffix -A to catalog number.

② Seals (not furnished—see Hazardous Location Fittings Section) must be placed within 2 inches from each conduit opening. Seals are not required in Class I, Division 2 locations.

③ For CEC version with CSA nameplate, add suffix -CN to catalog number.

▼ NEMA 3RX when the spring-loaded cover is installed and closed. NEMA 4X when the screw cover is installed and fully engaged.

♦ Shaded area indicates items suitable for Class I, Group B, C and D; Class II, Groups F, G; and Class III.

♦ Killark is a registered trademark of Hubbell Incorporated.