




BURNDY

[NA19A4N, Substation - Aluminum Bolted Terminal, 2-1/2" Al Pipe, 4-Hole](#)

By Burndy

Catalog # [NA19A4N](#)

Aluminium Bolted Terminal, Tube to Flat, 2 1/2" Al Pipe, 4 Pad Holes, 230 kV



Features

- Type NA-A Aluminum Terminals for Tube to Pad
- Properly proportioned to minimize conductor corrosion due to galvanic action
- When properly used, this item does not require use of bimetallic plates, contact Burndy Technical Support for recommendations
- One-wrench installation

Application

Substation

Specifications

Certification - UL Recognized
No
Certification - cULus
No
Certification - ETL
No
Standards - RoHS Compliance Status
CM
UL Listed
No
Certification - CSA Approved
No

Conductor

Conductor - AL Tube Std Size Range
2 1/2 IPS
Conductor - AL Tube Std Size
2 1/2 IPS
Number Of Conductors
1
Conductor - Connection Combination
Tube to Flat
Conductor Type

- AL Tube Std-Size
- CU Tube Std-Size

Conductor - Copper Tube Std Size Range
2 1/2 IPS IPS
Conductor - Copper Tube Std Size
2 1/2 IPS IPS

Configuration

Physical Attribute - Pad Orientation
Straight
Physical Attribute - Pad Configuration
3.75 x 3 - 4 holes
Physical Attribute - Pad Alignment
Offset
Physical Attribute - Number of Holes
4
Connector Type
Terminal

Dimensions

Dimension - G inch
2.19 in
Dimension - Pad Width inch
3.75 in
Package Height
0.000 in
Dimension - Height mm
126.2 mm
Dimension - Hole Size fraction
9/16
Dimension - Height inch
4.97 in
Dimension - Height fraction
5
Package Weight
0.000 lb.
Package Length
0.000 in
Dimension - F Width Center to Center inch
1.75 in
Package Width
0.000 in
Dimension - L Length Overall mm
197 mm
Dimension - Width fraction
5 in
Dimension - B Length fraction
4-1/2 in
Dimension - Width mm
127 mm
Dimension - Width inch
5.00 in

Dimension - B Length inch
4.50 in
Dimension - D inch
3.00 in
Dimension - N inch
0.63 in
Dimension - Length Overall inch
7.75 in

Force Related

Installation Torque Recommended in-lb
480 LBS/in

General

Material - Hardware
Aluminum
One Wrench Installation
Y
Plated
N
Clamping Element Design
Body and Cap
UPC
781810003770
Material
Aluminum Alloy
Plating Type
Unplated
UPC 12 Digit
781810003770
UPC 14 Digit GTIN
00781810003770

Logistics

Minimum Pack Quantity
2
Pallet Quantity
136
Carton Quantity
2

Product Assets

[Catalog.\[English\]](#)



A Hubbell brand
© 2026 Hubbell Incorporated. All rights reserved
BRDY-NA19A4N-SPEC-EN | REV 5/2026