

Eaton LP-CC-1

Catalog Number: LP-CC-1

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 1 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 300 Vdc, Melamine tube, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-1
UPC	EAN
051712180436	5027590446914
Product Length/Depth	Product Height
0.41 in	1.5 in
Product Width	Product Weight
0.41 in	0.15 lb
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant

Product specifications

Fuse indicator
Non-indicating

Special features
Non-indicating

Interrupt rating
200 kAIC at 600 Vac
20 kAIC at 300 Vdc

Number of elements
Dual

Connection
Ferrule end x ferrule end

Response time
12 sec at 200%

Quantity
10

Material
Melamine tube

Amperage Rating
1 A

Type
Current-limiting time-delay fuse

Class
Class CC

Voltage rating
600 Vac, 300 Vdc

Application
Specialized circuits and industrial control

Packaging type
Standard

Resources

Catalogs
Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses
LP-CC-1~LOW PEAK CC TIME DELAY
Bussmann series complete full line catalog no. 1007

Multimedia
Bussmann series Fuseology

Specifications and datasheets
Eaton Specification Sheet - LP-CC-1

Technical service bulletins
Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)