

Eaton LP-CC-15

Catalog Number: LP-CC-15

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 15 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 20 kAIC at 150 Vdc|200 kAIC at 600 V, Melamine tube, 10, 600 V, 150 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-15
UPC	Product Length/Depth
051712115308	1.5 in
Product Height	Product Width
0.41 in	0.41 in
Product Weight	Warranty
0.15 lb	Not Applicable
Compliances	
CE Marked	
RoHS Compliant	

Product specifications

Fuse indicator
Non-indicating

Special features
Rejection style

Interrupt rating
200 kAIC at 600 Vac
20 kAIC at 150 Vdc

Number of elements
Dual

Connection
Ferrule end x ferrule end

Response time
12 sec at 200%

Quantity
10

Material
Melamine tube

Amperage Rating
15 A

Type
Current-limiting time-delay fuse

Class
Class CC

Voltage rating
600 Vac, 150 Vdc

Application
Specialized circuits and industrial control

Packaging type
Standard

Resources

Catalogs
Bussmann series complete full line catalog no. 1007
LP-CC-15~LOW PEAK CC TIME DELAY

Multimedia
Bussmann series Fuseology

Specifications and datasheets
Eaton Specification Sheet - LP-CC-15

Technical service bulletins
Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)