

Eaton LP-CC-2

Catalog Number: LP-CC-2

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 2 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 300 Vdc, Melamine tube, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-2
UPC	EAN
051712180269	5027590063807
Product Length/Depth	Product Height
0.41 in	1.5 in
Product Width	Product Weight
0.41 in	0.15 lb
Warranty	Compliances
Not Applicable	CE Marked RoHS Compliant

Product specifications

Fuse indicator	
Non-indicating	
Special features	
Rejection style	
Interrupt rating	
20 kAIC at 300 Vdc	
200 kAIC at 600 Vac	
Number of elements	
Dual	
Connection	
Ferrule end x ferrule end	
Response time	
12 sec at 200%	
Quantity	
10	
Material	
Melamine tube	
Amperage Rating	
2 A	
Type	
Current-limiting time-delay fuse	
Class	
Class CC	
Voltage rating	
600 Vac, 300 Vdc	
Application	
Specialized circuits and industrial control	
Packaging type	
Standard	

Resources

Catalogs	
Bussmann series complete full line catalog no. 1007	
LP-CC-2~LOW PEAK CC TIME DELAY	
Multimedia	
Bussmann series Fuseology	
Specifications and datasheets	
Eaton Specification Sheet - LP-CC-2	
Technical service bulletins	
Datasheet - FNQ-30	



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)