

Eaton LPJ-125SP

Catalog Number: LPJ-125SP

Eaton Bussmann series LPJ fuse, Low-peak fuse, 125 A, Dual, Class J, Non-indicating, Bolted blade end x bolted blade end, Time delay|Current-limiting, 10 sec at 500%, 300 kAIC at 600 V|100 kAIC Vdc, Standard, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPJ fuse	LPJ-125SP
UPC	Product Length/Depth
051712523424	5.75 in
Product Height	Product Width
2 in	0.81 in
Product Weight	Warranty
0.75 lb	Not Applicable
Compliances	
CE Marked	
RoHS Compliant	

Electrical rating	Physical details
Amperage Rating 125 A	Fuse type Time delay
Interrupt rating 300 kAIC at 600 Vac 100 kAIC Vdc	Current-limiting
Response time 10 sec at 500%	Number of elements Dual
Voltage rating 600 Vac, 300 Vdc	Packaging type Standard

General information

Class
Class J
Connection
Bolted blade end x bolted blade end
Fuse indicator
Non-indicating
Special features
Non-indicating, High in-rush current motor protection

Resources

Catalogs

[LPJ-125SP-LOW PEAK CLASS J T/D](#)

Bussmann series complete full line catalog no. 1007

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LPJ-125SP](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)