


# CABLE RUNWAY ACCESSORIES


## Runway Drop-Out

- Use to provide a smooth radius for cable exit.
- Fits channel or tube rungs  $\frac{1}{2}$ " (13mm) x 1" (25mm).
- Cable tie down holes provided.
- 4" (102mm) cable bend radius.
- Includes: self-drilling screws
- Material: 16 Gauge (1.5mm) ASTM A366 steel
- Finish: Yellow Zinc Dichromate (YZN) or Telco Gray Powder Coat (TG)



Part Number		'L' Dropout Width		'W' Runway Width		Weight	
YZN	Gray	In.	(mm)	In.	(mm)	Lbs.	(kg)
<b>SB-2129-05</b>	<b>SB-2129-05 TG</b>	3"	(76)	5"	(127)	0.6	(0.27)
<b>SB-2129-06</b>	<b>SB-2129-06 TG</b>	4"	(101)	6"	(152)	0.7	(0.31)
<b>SB-2129-09</b>	<b>SB-2129-09 TG</b>	7"	(178)	9"	(228)	1.2	(0.54)
<b>SB-2129-12</b>	<b>SB-2129-12 TG</b>	10"	(254)	12"	(305)	1.7	(0.77)
<b>SB-2129-15</b>	<b>SB-2129-15 TG</b>	13"	(330)	15"	(381)	2.2	(0.99)
<b>SB-2129-18</b>	<b>SB-2129-18 TG</b>	16"	(406)	18"	(457)	2.7	(1.22)
<b>SB-2129-20</b>	<b>SB-2129-20 TG</b>	18"	(457)	20"	(508)	3.0	(1.36)
<b>SB-2129-24</b>	<b>SB-2129-24 TG</b>	22"	(559)	24"	(609)	3.7	(1.67)

# SAUNDERS™ RELAY RACKS



Relay Racks

B-Line Saunders™ Relay Racks are the highest quality products on the market today. B-Line Telecom manufactures relay racks to support hubs and routers for customer premise applications or to support power and transmission equipment in the central office environment. All B-Line Telecom racks are manufactured to conform to or exceed EIA-310-D and some are even UL Listed.

B-Line Telecom relay racks are constructed in either highly durable 6061-T6 aluminum or heavy duty steel. Racks are available in 19" (482mm) and 23" (584mm) widths, 36" (914mm) to 140" (3556mm) heights and a variety of finishes which include brush satin aluminum, telco gray, flat black, computer white or custom colors unique to your installation.

B-Line Telecom's customer premise rack offers a versatile approach to voice and data installations. Constructed of sturdy brushed aluminum, B-Line Telecom's 84" (2133mm) x 19" (482mm) customer premise relay rack is equipped with universal mounting hole spacing 5/8" x 5/8" x 1/2" (16mm x 16mm x 13mm) for panel mounting, two top angles for more rigidity and tapped assembly holes for self-squaring. The SB-556-084-XU is designed for junctioning compatibility with other major rack manufacturers. Superior design and top quality manufacturing make B-Line Telecom racks the industry standard.

B-Line System's commitment to quality and innovation is witnessed in our product offering and its adaptability to an ever-changing industry.

<b><u>Material:</u></b>	<b><u>Type</u></b>	<b><u>Thickness</u></b>	<b><u>Specifications</u></b>
	Steel Bar	..... 3/8" (9.5mm) - 7 Gauge (4.5mm)	..... ASTM A36
	Steel Strip	..... 10 Gauge (3.4mm) - 12 Gauge (2.6mm)	..... ASTM A569
	Aluminum	.....	..... 6061-T6

<b><u>Finishes:</u></b>		
	Brushed Aluminum	..... ASTM A480
	Powder Coat Paint	..... ASTM D3451
	- Telco Gray (TG)	
	- Computer White (CW)	
	- Flat Black (FB)	
	Chemical Conversion Coatings Available	

<b><u>Standard Conformance:</u></b>
EIA-310-D
UL - Listed Communication Circuit Accessory (file no. E171936).