

# PRODUCT INFORMATION PACKET



Model No: 108050.00  
Catalog No: 108050.00  
Low Voltage Motor, 0.33 HP, 24 V, 1800 RPM, S56C Frame, TENV



Regal and LEESON are trademarks of Regal Rexnord Corporation or one of its affiliated companies.  
©2025 Regal Rexnord Corporation, All Rights Reserved. MC017097E





**Nameplate Specifications**

Output HP	<b>0.33 Hp</b>	Output KW	<b>0.25 kW</b>
Voltage	<b>24 V</b>	Speed	<b>1800 rpm</b>
Service Factor	<b>1.0</b>	Frame	<b>S56C</b>
Enclosure	<b>Totally Enclosed Non Ventilating</b>	Thermal Protection	<b>No Protection</b>
Efficiency	<b>70.3 %</b>	Ambient Temperature	<b>40 °C</b>
Current	<b>13.5 A</b>	Duty	<b>Continuous</b>
Insulation Class	<b>F</b>	Drive End Bearing Size	<b>6203</b>
Opp Drive End Bearing Size	<b>6203</b>	UL	<b>Recognized</b>
CSA	<b>Y</b>	CE	<b>N</b>

**Technical Specifications**

Rotation	<b>Reversible</b>	Mounting	<b>Rigid C base</b>
Overall Length	<b>10.77 in</b>	Frame Length	<b>4.47 in</b>
Shaft Diameter	<b>0.625 in</b>	Shaft Extension	<b>2.06 in</b>
Torque	<b>11.7 LB-IN</b>		
Outline Drawing	<b>031880-108050</b>	Connection Drawing	<b>00531901</b>

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:04/08/2025






CONNECTIONS SHOWN FOR CCW ROTATION FACING LEAD END OF THE MOTOR  
 TO REVERSE ROTATION INTERCHANGE LINE LEADS

				TOLERANCES UNLESS SPECIFIED		 Regal Beloit America, Inc.	DRAWN TJF 11/15/97		
				DEC.	INCHES		CHK		
F	CHG FROM LEESON TO RRX TEMPLATE AS PER ECR-0237142	KVDG 09/19/24	DS	.X	±.1	TITLE	EXTERNAL WIRING DIAGRAM		
E	"MOTOR" WAS "ARMATURE", ECO-0163602	IPG 3/14/19		.XX	±.01		PMDC MOTOR		
D	UPDATED TO MAKE IT GENERIC, ECO-0163547	IPG 3/13/19		.XXX	±.005		SCALE 1=2		
01	REDRAWN ON CAD. REVISED NOTES.	SJB 9/20/2005		.XXXX	±.0005	MAT'L.	REF		
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH	FMF		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT			RFP	CAD FILE		00531901	SIZE	DRAWING NO.	REV.
			DIST				A	005319.01	F

# LEESON ELECTRIC CORPORATION

## TYPICAL PERFORMANCE CURVE FOR DIRECT CURRENT PERMANENT MAGNET MOTOR

**Model No.** C4D17NK9                      **Catalog No.** 108050.00  
**HP** 0.333                      **RPM** 1800                      **DC Volts** 24.0                      **N.P. FLA** 13.50  
**F.F.** 1.00                      **Encl** TENV                      **Type** DN                      **S.F.** 1.00  
**Max. Amb.** 40.0 Deg C                      **Insul.** F                      **Frame** S56C                      **Duty** Cont



<b>Ra</b> <u>0.1260</u> Ohms <b>La</b> <u>2.200</u> mHenrys <b>Ja</b> <u>4.800</u> LB-IN <sup>2</sup> <b>Ke</b> <u>12.22</u> V/KRPM	<b>Kt</b> <u>1.033</u> LB-IN/AMP <b>Imax</b> <u>150.0</u> AMPS Allowed <b>FL Torque</b> <u>11.70</u> LB-IN <b>FL EFF</b> <u>70.30</u> %
--	--

**Winding W-** D5628-1                      **Prepared by** S. Bernhardt                      **Date** 05-06-2009