




---

# Scraping & Drying Entrance Mat Barrier Rib™ 161

## Product Images

---







## Short Description

---

- Molded cross-rib pattern facilitates scraping and drying, retaining moisture and debris within its border
- Raised rubber carpet-to-edge (CTE™), bordered on all 4 sides to trap moisture and debris
- Anti-Microbial carpet treatment stops odor causing bacteria and germs
- Molded rubber cleats on the bottom of the mat grip underlying surfaces and minimize mat movement
- 20 ounces of tufted yarn per square yard
- Low profile to perform in narrow clearance doorways

## Description

---

Barrier Rib™ is a unique yet highly functional indoor/outdoor entrance mat with a molded dual-ridge cross-rib pattern that facilitates the scraping and drying process. A raised rubber barrier mat's border forms a perimeter on all four sides of the mat retains moisture and debris. Barrier Rib™ features an antimicrobial carpet treatment stops odor causing bacteria and germs at the entrance. An extremely durable rubber backed mat, Barrier Rib™ has a highly fashionable look that features carpet-to-the-edge (CTE™) to blend with its surroundings and contemporary color choices to match any décor.

## Specifications

Model No	161
Available Colors	Blue; Brown; Burgundy; Charcoal; Gray; Hunter Green; Red/Black
Overall Thickness	3/8
Custom Lengths	3' and 4' widths (5'3" up to 60' long)
Standard sizes	2'x 3'; 3'x 4'; 3'x 5'; 3'x 10'; 4'x 6'; 4'x 10'
Group	Entrance Matting
Environment	Indoor
Recommended Use	For placement inside entrances of hotels, shops, department stores, schools, universities, restaurants, supermarkets.
Special Remarks	Barrier Rib™ should be placed so that traffic passes across the ridges for maximum benefit.
Surface	Raised Cross-Rib Pattern
Edges	Fabric covered borders
Usage Intensity	Heavy traffic
Custom Description	Available in stock sizes and in custom lengths. Available colors in charcoal, brown, gray, burgundy, red/black, hunter green, slate blue.
Material Specifications	Polypropylene
Backing	Synthetic rubber
Process	Tufting
Pile Weight Oz	20
Weight Lbs/sqft	1.17
Fire Rating US	Pass
REACH Compliant	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Dust Control Rating	Superior
Water Retention Rating	Superior

Crush Resistance Rating	Best
Function Appearance Rating	Superior

## Product Options

---

Color:	Brown
	Burgundy
	Charcoal
	Slate Blue
Dimensions:	2ft x 3ft
	3ft x 10ft
	3ft x 4ft
	3ft x 5ft
	3ft x Specify Length
	4ft x 10ft
	4ft x 6ft
	4ft x Specify Length